



PIONEERING MEDICINES

FOR NEURODEGENERATIVE DISEASES

Investor Presentation

NASDAQ: ACIU | August 2026



Disclaimer

This presentation contains statements that constitute “forward-looking statements” within the meaning of Section 27A of the Securities Act of 1933 and Section 21E of the Securities Exchange Act of 1934. Forward-looking statements are statements other than historical fact and may include statements that address future operating, financial or business performance or AC Immune’s strategies or expectations. In some cases, you can identify these statements by forward-looking words such as “may,” “might,” “will,” “should,” “expects,” “plans,” “anticipates,” “believes,” “estimates,” “predicts,” “projects,” “potential,” “outlook” or “continue,” and other comparable terminology. Forward-looking statements are based on management’s current expectations and beliefs and involve significant risks and uncertainties that could cause actual results, developments and business decisions to differ materially from those contemplated by these statements. These risks and uncertainties include those described under the captions “Item 3. Key Information – Risk Factors” and “Item 5. Operating and Financial Review and Prospects” in AC Immune’s Annual Report on Form 20-F and other filings with the Securities and Exchange Commission. Forward-looking statements speak only as of the date they are made, and AC Immune does not undertake any obligation to update them in light of new information, future developments or otherwise, except as may be required under applicable law. All forward-looking statements are qualified in their entirety by this cautionary statement.

SupraAntigen® is a registered trademark of AC Immune SA in the following territories: AU, CH, EU, GB, JP, RU, SG and USA. Morphomer® is a registered trademark of AC Immune SA in CA, CH, CN, EU, GB, JP, KR, NO, RU and SG.

AC Immune – pioneering medicines for neurodegenerative diseases



Focused pipeline with active immunotherapies and intracellular targeted small molecule programs



Key differentiation: Precision enabled by leadership in targeting toxic proteins



Technology platforms validated through multiple clinical candidates and pharma partnering deals



Partnering: strategic, risk-mitigating, timely, monetization with >CHF 4.3 billion in potential milestones



Cash reserves on Balance sheet
Funding into Q4 2027

- Based in Lausanne, Switzerland
- ~120 employees
- Listed on NASDAQ: ACIU
- 102.5 million shares outstanding¹
- Cash resources of CHF 75.4 million²



(1) As of June 3, 2026; excluding treasury shares; (2) As of June 30, 2026 (~USD 93 million)

Pipeline focused on Active Immunotherapies and Intracellular Targeting

Modality	Candidate	Partner	Indication	Discovery	Preclinical	Phase 1	Phase 2	Phase 3
Active Immunotherapy	ACI-35 (JNJ-2056)		Alzheimer's disease (<i>pTau</i> ¹)	FDA Fast Track				
	ACI-24		Alzheimer's disease (<i>Abeta</i> ²)	FDA Fast Track				
			Alzheimer's disease: Down Syndrome					
	ACI-7104		Parkinson's disease (<i>a-syn</i> ³)	FDA Fast Track				
Intracellular Targeting	ACI-19764		Neuro-inflammation (<i>NLRP3</i> ⁴)					
	Morphomer Tau		Alzheimer's disease (<i>Tau</i>)					
	Morphomer® a-syn		Parkinson's disease (<i>a-syn</i>)					
Tracer	PI-2620		Alzheimer's disease, PSP ⁵ and others (<i>Tau</i>)	FDA Fast Track				

(1) Phosphorylated Tau; (2) amyloid beta; (3) alpha-synuclein; (4) (NOD)-like receptor protein 3; (5) Progressive supranuclear palsy

Key milestones 2026

Multiple catalysts across pipeline

- Readouts
- Other development events

Active immunotherapies		H1 2026	H2 2026	
ACI-24 (Takeda)	Abeta			ABATE Phase 2 trial in AD ¹ : first patient dosed in AD4 cohort
				ABATE Phase 2 trial results after 12 months of treatment
ACI-7104	a-syn ²			Submissions to regulators regarding clinical development plan
				Phase 2 VacSYn trial in PD³: end of Part 1 study clinical results
				IND ⁴ /CTA ⁵ filing for next clinical trial
Small molecule drugs				
NLRP3 inhibitor (ACI-19764)	NLRP3 ⁶			Phase 1 clinical trial in healthy volunteers initiated
				Phase 1 clinical results in healthy volunteers
				Phase 1b clinical results in patients with elevated hsCRP
Morphomer a-syn	a-syn			Readiness to initiate IND-enabling studies

(1) Alzheimer's disease; (2) Alpha-synuclein; (3) Parkinson's disease; (4) Investigational new drug; (5) Clinical Trial Application; (6) (NOD)-like receptor protein;

AC Immune's four core value drivers

Combining biomarker-based clinical development, validated targets and strong collaborations

Active Immunotherapies

ACI-7104 anti-a-syn

Active immunotherapy targeting pathological a-syn in early-stage Parkinson's disease



ACI-24 anti-Abeta

Biomarker-driven development targeting the hallmark protein in Alzheimer's disease and Alzheimer's in Down syndrome



ACI-35 anti-pTau

The only active immunotherapy in a prevention study for pre-symptomatic Alzheimer's disease



Intracellular Targeting SM¹

Intracellular targeting

Small molecule programs targeting intracellular pathologies:


- Tau 
- a-syn
- NLRP3 inflammasome

(1) Small molecules

Major advantages

- ✓ Long-lasting specific immunity for pathological target, consistent, boostable
- ✓ Limited annual dosing (once or twice) after priming year
- ✓ No observed ARIA-E¹ to date (safety profile well suited to long-term use)
- ✓ Ease of administration and simple logistics for global access
- ✓ Cost-effective (attractive healthcare economics across global populations)

(1) Amyloid-related imaging abnormalities-edema




Active immunotherapy

Stimulates the patient's immune system to produce their own polyclonal antibodies

Passive immunotherapy

Externally generated monoclonal antibody requires administration every two to four weeks



ACI-7104 for early-stage Parkinson's disease

ACI-7104 anti-a-syn

Active immunotherapy
targeting pathological
a-syn in early-stage
Parkinson's disease

ACI-24 anti-Abeta

Biomarker-driven
development targeting the
hallmark protein in Alzheimer's
disease and Alzheimer's in
Down syndrome

ACI-35 anti-pTau

The only active
immunotherapy in a
prevention study for
pre-symptomatic
Alzheimer's disease

Intracellular targeting

Small molecule programs
targeting intracellular
pathologies:

- Tau
- a-syn
- NLRP3 inflammasome

VacSYn: Adaptive biomarker-based Phase 2 study of ACI-7104 in early PD

Placebo-controlled Phase 2 Study Overview (clinicaltrials.gov identifier: NCT06015841)


All participants from Part 1 will contribute to final analysis

Biomarker based interim analyses

- Early immunogenicity to tailor dose and/or dose regimen
- Apply disease-relevant biomarkers for early transition to filing

Part 1: Safety & PK/PD

- Key immunogenicity measures
- Measures of pathological a-syn (a-syn oligomers and aggregates)



Part 2: Proof of Concept in Early PD

- Motor and Non-Motor Functioning (UPDRS² based)
- Degeneration of dopaminergic terminals (DaT SPECT³ imaging)
- Advanced MRI (including ASL⁴ and DTI⁵)
- Digital biomarkers of motor and non-motor function
- Functional and patient reported outcomes



(1) Participants must have idiopathic PD and be stable on up to 300 mg of L-Dopa treatment and dopaminergic deficit determined by Dopamine Transporter Single Photon Emission Computed Tomography; (2) Unified Parkinson's disease rating scale; (3) Dopamine Transporter Single Photon Emission Computed Tomography; (4) Arterial spin labeling; (5) Diffusion tensor imaging

VacSYn: Patient baseline characteristics and interim safety/tolerability findings

Placebo-controlled Ph 2 Study: No safety concerns raised by DSMB^{1,5}

Baseline profile	Unit	Total
Total number of patients	n	34
Age	Years mean (std)	62.1 (6.7)
Sex		
Male	n (%)	22 (65%)
Female	n (%)	12 (35%)
Hoehn and Yahr stage		
Stage I	n (%)	16 (47%)
Stage II	n (%)	18 (53%)
MDS-UPDRS scores		
Part 1: Non-motor experiences of daily living	mean (std)	4.09 (3.1)
Part 2: Non-motor experiences of daily living	mean (std)	4.09 (3.2)
Part 3: Motor examination	mean (std)	21.09 (9.8)
Time since initial PD Diagnosis	Months mean (std)	10.3 (7.5)
PD Treatment		
treatment-naïve	n (%)	11 (32%)
L-Dopa 300mg/day	n (%)	23 (68%)

1

Overall good safety/tolerability to date¹

2

No SAE² considered related to the study drug, incl. 1 subject who died during participation in the study (unlikely related to the study drug)

3

Two AE leading to discontinuation from the study³ unrelated or unlikely related to study drug

4

Most common AEs are transient and generally of mild severity: Injection Site Reactions (55.9%) and headaches (14.7%) and fatigue (11.8%)⁴


5

No significant MRI⁶, lab, ECG⁷ abnormalities reported to date

(1) Data Safety Monitoring Board; (2) Serious Adverse Events: Upper limb fracture, osteoarthritis, perforated appendicitis and intraabdominal sepsis (in the same subject), radical prostatectomy are considered unrelated to study drug, death of unknown cause is considered unlikely related to study drug; (3) One worsening of preexisting generalized anxiety disorder unrelated to study drug and one SAE of death of unknown cause post extraction date; (4) incidence in the pooled active and placebo subjects; (5) Extraction date September 5, 2025; (6) Magnetic Resonance Imaging; (7) Electrocardiogram

Repeated ACI-7104 immunizations boost anti-a-syn¹ antibody responses

100% responder rate observed for modified a-syn antigen antibody titers in serum



- Antibody responses were boosted after each dose
- ACI-7104-induced antibodies show high reactivity against a-syn peptide and a-syn-aggregates
- The placebo group did not show any detectable change from baseline

(1) Alpha-synuclein; (2) Modified a-syn peptide antigen; (3) Immunoglobulin; (4) Number of subjects beyond week 50 is expected to increase as subjects reach later timepoints.

ACI-24 for early-stage Alzheimer's disease

ACI-7104 anti-a-syn

Active immunotherapy targeting pathological a-syn in early-stage Parkinson's disease

ACI-24 anti-Abeta

Biomarker-driven development targeting the hallmark protein in Alzheimer's disease and Alzheimer's in Down syndrome

ACTIVE∞
Immune Therapy



ACI-35 anti-pTau

The only active immunotherapy in a prevention study for pre-symptomatic Alzheimer's disease

Intracellular targeting

Small molecule programs targeting intracellular pathologies:

- Tau
- a-syn
- NLRP3 inflammasome

AβATE: Biomarker-based Phase 1b/2 study of ACI-24 in AD¹ and DS²

Placebo-controlled Phase 1b/2 Study Overview


Adaptive Study Design

Both	- Interim analyses of safety/tolerability & immunogenicity - Biomarker analyses including Abeta PET³ and others
AD	- Up to 4 different doses and/or dose regimens - Expansion of one cohort to assess effect on Abeta PET
DS	Initiation using selected dose identified in AD (based on safety/tolerability and immunogenicity)

Outcome measures

Both	- Safety/tolerability - Pharmacodynamics: Serum anti-Abeta antibody titers Abeta-PET imaging - Exploratory biomarkers and clinical endpoints
------	---

Trial Schematic



(1) Alzheimer's disease; (2) Down syndrome-related AD; (3) Positron emission tomography; (4) AD participants must be between 50 – 85 years of age and have prodromal AD with Clinical Dementia Rating Global Score of 0.5 and Abeta pathology confirmed by PET scan; (5) Cohort comprised of non-demented people living with DS (age 35 – 50 years) and Abeta pathology confirmed by PET scan

ACI-35 for pre-symptomatic Alzheimer's disease

ACI-7104 anti-a-syn

Active immunotherapy targeting pathological a-syn in early-stage Parkinson's disease

ACI-24 anti-Abeta

Biomarker-driven development targeting the hallmark protein in Alzheimer's disease and Alzheimer's in Down syndrome

ACI-35 anti-pTau

The only active immunotherapy in a prevention study for pre-symptomatic Alzheimer's disease

Intracellular targeting

Small molecule programs targeting intracellular pathologies:

- Tau
- a-syn
- NLRP3 inflammasome

ACTIVE 
Immune Therapy

janssen 
PHARMACEUTICAL COMPANY
OF Janssen-Cilag

Reτain 2* : Phase 2 study of ACI-35 (JNJ-2056) in preclinical AD¹

A randomized, multicenter, double-blind, placebo-controlled Phase 2 study

Study population


- ~60 participants with **preclinical AD**:
 - Cognitively normal
 - Tau PET positive
 - Amyloid positive²
- Prior to appearance of clinical symptoms

Biomarker readouts

- Tau pathology compared with placebo:
 - Tau-PET imaging³
 - Baseline, 12-months, and up to 24-months

Cognitive endpoints

- Preclinical AD Cognitive Composite-5 ⁴
 - Episodic memory; timed executive function; global cognition
- Clinical Dementia Rating scale
- Speech biomarker (ki:elements)



* Protocol Version: Amendment 5, HA submissions in progress (last updated 05-May-2025)

(1) Alzheimer's disease; (2) Abeta positivity (A+) based on plasma pTau217; (3) Tau-PET SUVR measured in multiple brain regions of interest; (4) PACC-5

AC Immune's small molecule programs targeting intracellular pathology

ACI-7104 anti-a-syn

Active immunotherapy targeting pathological a-syn in early-stage Parkinson's disease

ACI-24 anti-Abeta

Biomarker-driven development targeting the hallmark protein in Alzheimer's disease and Alzheimer's in Down syndrome

ACI-35 anti-pTau

The only active immunotherapy in a prevention study for pre-symptomatic Alzheimer's disease

Intracellular targeting

Small molecule programs targeting intracellular pathologies:

- 1 ▪ Tau 
- 2 ▪ a-syn
- 3 ▪ NLRP3 inflammasome

Intracellular Targeting for earliest pathology intervention in NDD¹

Brain penetrant small molecules as a key differentiator

1

Optimal delivery into the central nervous system

2

Cell-penetrant with proven engagement of their specific intracellular target

3

Conformation-specific and highly selective for misfolded forms of target proteins in NDD, i.e. Tau, α -syn² and TDP-43³

4

Potential application across all pathological and disease stages


5

Oral, cost-effective and convenient administration

■ Unique product and commercial opportunities over other modalities

(1) Neurodegenerative diseases; (2) Alpha-synuclein; (3) TAR DNA binding protein-43

Tau-targeted Morphomers: *in vivo* activity in aggressive model of Tau pathology¹



■ Tau-targeting Morphomers® halt pathology in preclinical model at multiple points

(1)Tg4510 model

a-syn¹-targeted Morphomers to address a-syn pathologies

Unique small molecule assets including therapeutics and diagnostics



Mor-a-syn

- **Small molecule Morphomer®** targets intracellular pathological a-syn aggregates to treat and prevent Parkinson's disease
- **Lead candidate decision** anticipated in H2 2026

ACI-12589
ACI-15916



- **Morphomer® diagnostic PET² tracers** for pathological a-syn aggregates to detect and differentiate a-synucleinopathies
- ACI-12589 demonstrated excellent clinical results in **M**ultiple **S**ystem **A**trophy
- ACI-15916 in **Phase 1 clinical study** with results anticipated in late 2026

- Parkinson's disease affects over 6 million people worldwide
- Challenges remain in diagnosis and there are substantial unmet needs for effective therapeutic interventions

(1) alpha-synuclein; (2) Positron emission tomography

NLRP3¹ inhibitor, ACI-19764, small molecule targeting inflammation

Preliminary Phase 1 findings

- Generally safe and well tolerated in healthy volunteers
- Once daily oral dose
- Plasma half-life >30 hours
- CSF² exposure confirmed
- Multiple ascending doses up to 10mg/day
- Pharmacokinetic concentrations above IC₉₀ achieved at ≤10mg/day
- Dose dependent inhibition of IL-1beta in human whole blood assay
- ▪ **Therapeutic oral dose of ≤10mg/day**

High potency - preclinical

IL-1β ³ inhibition	IC ₅₀
Human macrophages	2 nM
Human whole blood	20.5 nM

Non-clinical safety

- 3-month toxicology package- no adverse findings up to the highest tested dose
- Early repro-toxicity package - no adverse findings
- Comprehensive non-clinical safety package - supporting clinical dosing up to 3 months

High selectivity - preclinical

- No action on other inflammasomes⁴

In vivo activity - preclinical

ACI-19764 inhibits inflammation *in vivo*

Model	Biomarker
• EAE ⁵	IL-1β CD4 ⁶ caspase-1 GFAP ⁷ Iba1 ⁸
• Chronic LPS ⁹	IL-1β GFAP YKL-40 ¹⁰

▪ **ACI-19764 Phase 1b data in patients with elevated hsCRP in H2 2026**

(1) (NOD)-like receptor protein-3; (2) cerebrospinal fluid; (3) interleukin-1 beta; (4) AIM2, NLRP1, NLRC4; (5) Experimental autoimmune encephalomyelitis; (6) cluster of differentiation 4, marker of T helper cells; (7) Glial fibrillary acidic protein; (8) Ionized calcium-binding adaptor molecule 1; (9) lipopolysaccharide; (10) YKL-40, also known as chitinase-3-like protein 1

Key milestones 2026

Multiple catalysts across pipeline

-  Readouts
-  Other development events

Active immunotherapies		H1 2026	H2 2026	
ACI-24 (Takeda)	Abeta			ABATE Phase 2 trial in AD ¹ : first patient dosed in AD4 cohort
				ABATE Phase 2 trial results after 12 months of treatment
ACI-7104	a-syn ²			Submissions to regulators regarding clinical development plan
				Phase 2 VacSYn trial in PD³: end of Part 1 study clinical results
				IND ⁴ /CTA ⁵ filing for next clinical trial
Small molecule drugs				
NLRP3 inhibitor (ACI-19764)	NLRP3 ⁶			Phase 1 clinical trial in healthy volunteers initiated
				Phase 1 clinical results in healthy volunteers
				Phase 1b clinical results in patients with elevated hsCRP
Morphomer a-syn	a-syn			Readiness to initiate IND-enabling studies

(1) Alzheimer's disease; (2) Alpha-synuclein; (3) Parkinson's disease; (4) Investigational new drug; (5) Clinical Trial Application; (6) (NOD)-like receptor protein;

Pioneering medicines for neurodegenerative diseases

Supplementary information



AC Immune's strong track record in deals¹ with leading pharma companies

Strategy: optimize value to risk ratio and retain significant upside

Program	Phase	Total value ²	Upfront ²	Milestones received ²	Royalties	Partner
ACI-24 (anti-Abeta active immunotherapy)	Phase 1b/2	>USD 2,100	USD 100	USD 12	Mid-to-high teens	
ACI-35 (anti-pTau active immunotherapy)	Phase 2b	CHF 500	CHF 26	CHF 45	Low-double digits to mid-teens	
Tau Morphomer® drugs	Phase 1 ⁶	CHF 1,860	CHF 80 +USD 50 ⁷	CHF 50	Low-double digits to mid-teens	
PI-2620 (Tau PET ⁴ tracer)	Phase 3 ⁵	EUR 160	EUR 0.5	EUR 7	Mid-single digits to low-teens	
Crenezumab (anti-Abeta antibody)	Phase 2	USD 65 ³	USD 25	USD 40		*
Semorinemab (anti-Tau antibody)	Phase 2	CHF 59 ³	CHF 17	CHF 42		*
Total (millions)⁸		CHF ~4,750	CHF 255.2 ⁹	CHF 192		

■ Outstanding potential milestone payments exceed ~CHF 4.3 billion

(1) Disclosure limited due to confidentiality agreements with collaboration partners; (2) In millions; (3) Total payments received from partner until termination of agreement; (4) Positron emission tomography; (5) In Alzheimer's disease; (6) Phase 1 completed; (7) Equity investment; (8) Converted to CHF on date of receipt; (9) Excludes convertible note agreement of USD 50 million ; * previously licensed to Genentech (a member of the Roche Group)